



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

AOD-9604 10 mg

Report To:

Peptidology

11111 N Scottsdale Rd STE 205
Scottsdale, AZ 85254
480-974-4660


Compound: AOD-9604

Amount: 10 mg

Laboratory ID: V251009-8 003

Date Reported: 10/27/2025

Lot Number: 1665



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	99.44% + 0.18%
Assay	HPLC-UV/VIS	9.82 mg



Report By: Dustin Newman, Laboratory Director on 10/27/2025

Approved By: Tori Johnson, Operations Manager on 10/27/2025

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

AOD-9604 10 mg

Report To:

Peptidology

11111 N Scottsdale Rd STE 205
Scottsdale, AZ 85254
480-974-4660

Compound: AOD-9604

Amount: 10 mg

Laboratory ID: V251009-8 003

Date Reported: 10/27/2025

Lot Number: 1665

Analyte	Method	LOQ (ppm)	Result (ppm)
Chromium (Cr)	ICP-MS	0.05	ND
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 251014Hg, 251015b

Analysis	Method	Result
Endotoxins	LAL	Pass - 2.01 EU/mg*
Sterility	USP <71>	PASS - No microorganisms present in sample tested.

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 10/27/2025

Approved By: Tori Johnson, Operations Manager on 10/27/2025

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.