


# Certificate of Analysis

NAD+ 500 mg

Report To:  
**Peptidology**  
 11111 N Scottsdale Rd STE 205  
 Scottsdale, AZ 85254  
 480-974-4660

Compound: NAD+  
 Amount: 500 mg  
 Laboratory ID: V251104-13 002  
 Date Reported: 11/5/2025  
 Lot Number: 1667



Analysis	Method	Result
Chromatographic Purity (Total)	HPLC-UV/VIS	>99.80% $\pm$ 0.18%
Chromatographic Purity (NAD+)	HPLC-UV/VIS	98.09% $\pm$ 0.18%
Chromatographic Purity (Nicotinamide)	HPLC-UV/VIS	1.91% $\pm$ 0.18%
Quantity: NAD+	HPLC-UV/VIS	523 mg




Report By: Dustin Newman, Laboratory Director on 11/5/2025



Approved By: Tori Johnson, Operations Manager on 11/5/2025

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

NAD+ 500 mg

Report To:

**Peptidology**

11111 N Scottsdale Rd STE 205  
Scottsdale, AZ 85254  
480-974-4660

Compound: NAD+

Amount: 500 mg

Laboratory ID: V251104-13 002

Date Reported: 11/5/2025

Lot Number: 1667

Analyte	Method	LOQ (ppm)	Result (ppm)
Chromium (Cr)	ICP-MS	0.05	ND
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 251114, 251114Hg

Analysis	Method	Result
Endotoxins	LAL	Pass - 0.19 EU/mg*
Sterility	USP <71>	PASS - No microorganisms present in sample tested.

\*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 11/5/2025

Approved By: Tori Johnson, Operations Manager on 11/5/2025

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

# LABORATORY REPORT

Peptidology  
11111 N Scottsdale Rd  
Scottsdale, AZ 85254

Phone: 480-974-4660

Date Received: 11/5/2025

Account #: E74035  
Sample Name: NAD+  
Lot #: 1667  
Storage Conditions: Room Temperature

Submission #: ETX-251103-0490



## **Microbiology Tests:**

### **ScanRDI Sterility Test**

**Method Suitability:** No Method Suitability on file

**Result:** Pass

Date Started: 11/5/2025

Date Completed: 11/6/2025

Respectfully submitted,  
EAGLE ANALYTICAL SERVICES INC.

  
Alison Eng, Quality Control Manager

***Results apply only to the tested sample(s) as received.***