


# Certificate of Analysis

BPC-157/TB-500 10 mg/10 mg

Report To:  
**Peptidology**  
 11111 N Scottsdale Rd STE 205  
 Scottsdale, AZ 85254  
 480-974-4660

Compound: BPC-157/TB-500  
 Amount: 10 mg/10 mg  
 Laboratory ID: V251215-13 002  
 Date Reported: 12/31/2025  
 Lot Number: 1668



| Analysis               | Method      | Result         |
|------------------------|-------------|----------------|
| Chromatographic Purity | HPLC-UV/VIS | 99.06% + 0.18% |
| Assay: TB-500          | HPLC-UV/VIS | 10.83 mg       |
| Assay: BPC-157         | HPLC-UV/VIS | 10.49 mg       |




Report By: Dustin Newman, Laboratory Director on 12/31/2025



Approved By: Tori Johnson, Operations Manager on 12/31/2025

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

BPC-157/TB-500 10 mg/10 mg

Report To:

**Peptidology**

11111 N Scottsdale Rd STE 205  
Scottsdale, AZ 85254  
480-974-4660

Compound: BPC-157/TB-500

Amount: 10 mg/10 mg

Laboratory ID: V251215-13 002

Date Reported: 12/31/2025

Lot Number: 1668

| Analyte       | Method | LOQ (ppm) | Result (ppm) |
|---------------|--------|-----------|--------------|
| Chromium (Cr) | ICP-MS | 0.025     | ND           |
| Arsenic (As)  | ICP-MS | 0.01      | ND           |
| Cadmium (Cd)  | ICP-MS | 0.01      | ND           |
| Lead (Pb)     | ICP-MS | 0.01      | ND           |
| Mercury (Hg)  | ICP-MS | 0.005     | ND           |

Run ID: 251218

| Analysis   | Method   | Result   |
|------------|----------|--|
| Endotoxins | LAL      | PASS - 0.05 EU/mg*                                 |
| Sterility  | USP <71> | PASS - No microorganisms present in sample tested. |

\*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 12/31/2025

Approved By: Tori Johnson, Operations Manager on 12/31/2025

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

# LABORATORY REPORT

Peptidology  
11111 N Scottsdale Rd  
Scottsdale, AZ 85254

Phone: 480-974-4660

Date Received: 12/15/2025

Account #: E74035  
Sample Name: BPC-157/TB-500  
Lot #: 1668  
Storage Conditions: Room Temperature

Submission #: ETX-251212-0325



## **Microbiology Tests:**

### **ScanRDI Sterility Test**

**Method Suitability:** No Method Suitability on file

**Result:** Pass

Date Started: 12/16/2025

Date Completed: 12/18/2025

Respectfully submitted,  
EAGLE ANALYTICAL SERVICES INC.

  
Alison Eng, Quality Control Manager

***Results apply only to the tested sample(s) as received.***