




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

MOTS-c 40 mg

Report To:
Peptidology
1111 N Scottsdale Rd STE 205
Scottsdale, AZ 85254
480-974-4660

Compound: MOTS-c
Amount: 40 mg
Laboratory ID: V250903-22 001
Date Reported: 9/17/2025
Lot Number: 1664



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	>99.80% + 0.18%
Assay	HPLC-UV/VIS	40.23 mg



Report By: Dustin Newman, Laboratory Director on 9/17/2025

Approved By: Tori Johnson, Operations Manager on 9/17/2025

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

MOTS-c 40 mg

Report To:

Peptidology

1111 N Scottsdale Rd STE 205
Scottsdale, AZ 85254
480-974-4660

Compound: MOTS-c

Amount: 40 mg

Laboratory ID: V250903-22 001

Date Reported: 9/17/2025

Lot Number: 1664

Analyte	Method	LOQ (ppm)	Result (ppm)
Chromium (Cr)	ICP-MS	0.025	ND
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 250915Hg, 250916

Analysis	Method	Result
Endotoxins	LAL	<0.05 EU/mg

Report By: Dustin Newman, Laboratory Director on 9/17/2025

Approved By: Tori Johnson, Operations Manager on 9/17/2025

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



LABORATORY REPORT

Peptidology

Phone: 808-256-3132

Account #: E74035

Sample Name: MOTS-c

Lot #: 1664

Storage Conditions: Room Temperature

Date Received: 9/3/2025

Submission #: ETX-250829-0350



Microbiology Tests:

ScanRDI Sterility Test

Method Suitability: No Method Suitability on file

Result: Pass

Date Started: 9/5/2025

Date Completed: 9/5/2025

Respectfully submitted,

EAGLE ANALYTICAL SERVICES INC.

Alison Eng, Quality Control Manager

Results apply only to the tested sample(s) as received.