




Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

GLP2-T 10 mg

Report To:  
**Peptidology**  
11111 N Scottsdale Rd STE 205  
Scottsdale, AZ 85254  
480-974-4660

Compound: GLP2-T  
Amount: 10 mg  
Laboratory ID: V251002-3 002  
Date Reported: 10/21/2025  
Lot Number: 1665



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	99.65% + 0.18%
Assay	HPLC-UV/VIS	11.72 mg



Report By: Dustin Newman, Laboratory Director on 10/21/2025

Approved By: Tori Johnson, Operations Manager on 10/21/2025

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

GLP2-T 10 mg

Report To:

**Peptidology**

11111 N Scottsdale Rd STE 205  
Scottsdale, AZ 85254  
480-974-4660

Compound: GLP2-T

Amount: 10 mg

Laboratory ID: V251002-3 002

Date Reported: 10/21/2025

Lot Number: 1665

Analyte	Method	LOQ (ppm)	Result (ppm)
Chromium (Cr)	ICP-MS	0.05	pending
Arsenic (As)	ICP-MS	0.01	pending
Cadmium (Cd)	ICP-MS	0.01	pending
Lead (Pb)	ICP-MS	0.01	pending
Mercury (Hg)	ICP-MS	0.005	pending

Run ID: pending

Analysis	Method	Result
Endotoxins	LAL	2.06 EU/mg
Sterility	USP <71>	PASS - No microorganisms present in sample tested.

\*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 10/21/2025

Approved By: Tori Johnson, Operations Manager on 10/21/2025

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



# LABORATORY REPORT

Peptidology  
11111 N Scottsdale Rd  
Scottsdale, AZ 85254

Phone: 480-974-4660

Account #: E74035

Sample Name: GLP2-T

Lot #: 1665

Storage Conditions: Room Temperature

Date Received: 10/2/2025

Submission #: ETX-250930-0525



### **Microbiology Tests:**

#### **ScanRDI Sterility Test**

**Method Suitability:** No Method Suitability on file

**Result:** Pass

Date Started: 10/2/2025

Date Completed: 10/5/2025

Respectfully submitted,  
EAGLE ANALYTICAL SERVICES INC.

Alison Eng, Quality Control Manager

**Results apply only to the tested sample(s) as received.**